



basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA

**NATIONAL
SENIOR CERTIFICATE/
NASIONALE
SENIOR SERTIFIKAAT**

GRADE/GRAAD 12

**MATHEMATICAL LITERACY P1 /
WISKUNDIGE GELETTERDHEID V1**

NOVEMBER 2025

MARKING GUIDELINES/NASIENRIGLYNE

MARKS/PUNTE: 150

Symbol/Kode	Explanation/Verduideliking
MA	Method with accuracy/ <i>Metode met akkuraatheid</i>
CA	Consistent accuracy/ <i>Volgehoue akkuraatheid</i>
A	Accuracy/ <i>Akkuraatheid</i>
C	Conversion/ <i>Herleiding</i>
S	Simplification/ <i>Vereenvoudiging</i>
RT	Reading from a table/graph/document/diagram/ <i>Lees vanaf tabel/grafiek/dokument/diagram</i>
SF	Correct substitution in a formula/ <i>Korrekte vervanging in 'n formule</i>
O	Opinion/Explanation/ <i>Opinie/Verduideliking</i>
P	Penalty, e.g. for no units, incorrect rounding off, etc./ <i>Penalisasie, bv. vir geen eenhede, verkeerde afronding, ens.</i>
R	Rounding off/ <i>Afronding</i>
NPR	No penalty for rounding/ <i>Geen penalisasie vir afronding nie</i>
NPU	No penalty for omitting correct unit/ <i>Geen penalisasie vir die uitlos van die korrekte eenheid nie.</i>
AO	Answer only/ <i>Slegs antwoord</i>
MCA	Method with consistent accuracy/ <i>Metode met volgehoue akkuraatheid</i>
RCA	Rounding consistent with accuracy/ <i>Afronding met volgehoue akkuraatheid</i>

**These marking guidelines consist of 23 pages.
*Hierdie nasienriglyne bestaan uit 23 bladsye.***

NOTE:

- If a candidate answers a question TWICE, only mark the FIRST attempt.
- If a candidate has crossed out (cancelled) an attempt to a question and NOT redone the solution, mark the crossed out (cancelled) version.
- Consistent accuracy (CA) applies in ALL aspects of the marking guidelines; however it stops at the second calculation error or break-down.
- If the candidate presents any extra solution when reading from a graph, table, layout plan and map, then penalise for every extra item presented.
- Rounding is an independent mark.
- General principle of marking, if the candidate makes one mistake one mark is deducted.
- A conclusion mark can only be given if relevant calculations precedes it (at least a $\frac{1}{3}$ of the mark before conclusion).
- No penalty for rounding (NPR) if the first decimal is correct, except questions involving money.

LET WEL:

- *As 'n kandidaat 'n vraag TWEE KEER beantwoord, sien slegs die EERSTE poging na.*
- *As 'n kandidaat 'n antwoord van 'n vraag doodtrek (kanselleer) en nie oordoen nie, sien die doodgetrekte (gekanselleerde) poging na.*
- *Volgehoue akkuraatheid (CA) word in ALLE aspekte van die nasienriglyne toegepas; dit hou egter op by die tweede berekeningsfout of 'break-down'.*
- *Wanneer 'n kandidaat aflesings vanaf 'n grafiek, tabel, uitlegplan en kaart neem en ekstra antwoorde gee, penaliseer vir elke ekstra item.*
- *Afronding tel as 'n afsonderlike punt.*
- *Die algemene beginsel van merk as 'n leerder een fout maak, word een punt afgetrek.*
- *'n Gevolgtrekkingspunt kan slegs gegee word indien relevante berekening dit voorgaan (ten minste 'n $\frac{1}{3}$ van die punt voor die gevolgtrekking).*
- *Geen penalisering vir ronding (NPR) as die eerste desimaal korrek is nie, behalwe as vrae geld insluit.*

QUESTION/VRAAG 1 [30 MARKS/PUNTE]		ANSWER ONLY FULL MARKS	
Q/V	Solution/Oplissing	Explanation/Verduideliking	T&L
1.1.1	Cape Town / Kaapstad ✓✓RT	2RT correct city (2)	F L1 E
1.1.2	Cost per kilogram / Koste per kilogram ✓RT = R41,41 ÷ 5 = R8,282 OR R8,28 ✓A OR / OF 5kg : R41,41 1kg : ? = $\frac{1}{5} \times R41,41$ ✓RT = R8,282 OR R8,28 ✓A	1RT R41,41 1A simplification OR / OF 1RT R41,41 1A simplification (2)	F L1 E

Q/V	Solution/Oplossing	Explanation/Verduideliking	T&L
1.1.3	Ratio / <i>Verhouding</i> ✓RT ✓RT 165,52 : 169,62 1 : 1,025 ✓A	1RT 165,52 1RT 169,92 1A simplification (3)	F L1 E
* 1.1.4	Total price / <i>Totale prys</i> = R18,07 + R111,59 + R41,41 + R105,24 + R41,91 + R223,23 + R52,38 + R104,96 + R163,31 + R101,94 ✓MA = R964,04 ✓A	1MA adding all values 1A simplification (2)	F L1 E
1.2.1	D ✓✓A	2A correct option (2)	F L1 E
1.2.2	C ✓✓A	2A correct option (2)	F L1 E
1.2.3	F ✓✓A	2A correct option (2)	F L1 E
1.2.4	G ✓✓A	2A correct option (2)	D L1 E
* 1.3.1	Indian / Asian OR / OF ✓✓RT <i>Indiër / Asiaties</i>	2RT correct population (2)	D L1 M
1.3.2	Discrete / <i>Diskrete</i> ✓✓A	2A correct classification (2)	D L1 E
* 1.3.3	Questionnaire / Survey / Census / Interview <i>Vraelys / Opname / Sensus / Onderhoud</i> ✓✓A	2A correct instrument (2)	D L1 E
* 1.3.4	60 604 992 ✓✓RT	2RT correct population total (2)	D L1 E
1.3.5	49 070 809 ✓✓A	2A correct number (2)	D L1 E

Q/V	Solution/Oplossing	Explanation/Verduideliking	T&L
1.3.6	Percentage / <i>Persentasie</i> ✓RT $= \frac{2\,242\,589}{29\,624\,882} \times 100\% \quad \checkmark\text{MA}$ $= 7,569950827\% \quad \checkmark\text{A}$	1RT both correct values 1MA percentage calculation 1A simplification (3)	D L1 E
		(3)	[30]

QUESTION/VRAAG 2 [32 MARKS/PUNTE]			
Q/V	Solution/Oplissing	Explanation/Verduideliking	T&L
2.1.1	Unemployment Insurance Fund / <i>Werkloosheids-versekeringsfonds</i> ✓✓A	2A correct acronym (2)	F L1 E
2.1.2	SARS / SAID ✓✓A OR / OF South African Revenue Services / <i>Suid-Afrikaanse Inkomstediens</i> ✓✓A	2A correct government institution (2)	F L1 E
2.1.3	Employer Medical Aid contribution / <i>Werkgewer Mediese fonds bydrae</i> = R2 531,54 ÷ 2 ✓MA = R1 265,77 ✓A OR / OF Total Medical Aid contribution / <i>Totale Mediese fonds bydrae</i> = $\frac{3}{2} \times$ R2 531,54 = R3 797,31 Employer Medical Aid contribution / <i>Werkgewer Mediese fonds bydrae</i> = R3 797,31 ÷ 3 ✓MA OR R3 797,31 – R2 531,54 = R1 265,77 ✓A	1MA divide by 2 1A simplification OR / OF 1MA divide by 3 1A simplification AO (2)	F L2 M
2.1.4(a)	A = R6 298 ✓✓RT	2RT correct value (2)	F L2 M

Q/V	Solution/Oplossing	Explanation/Verduideliking	T&L
2.1.4(b)	<p>B = Gross salary – UIF – PAYE Tax – medical aid = <i>Bruto salaris – WVF – LBS Belasting – mediese fonds</i></p> <p>= R35 000 – R177,12 – R6 298 – R2 531,54 ✓MCA</p> <p>= R25 993,34 ✓CA</p> <p style="text-align: center;">OR / OF</p> <p>B = R35 000 – (R177,12 + R6 298 + R2 531,54) = R35 000 – R9 006,66 ✓MCA</p> <p>= R25 993,34 ✓CA</p>	<p>CA from Question 2.1.4 (a)</p> <p>1MCA subtracting values</p> <p>1CA simplification</p> <p style="text-align: center;">OR / OF</p> <p>1MCA subtracting total value</p> <p>1CA simplification</p> <p>AO</p> <p style="text-align: right;">(2)</p>	<p>F L2 M</p>

Q/V	Solution/Oplossing	Explanation/Verduideliking	T&L
2.1.4(c)	<p>Annual taxable income / <i>Jaarlikse belasbare inkomste</i></p> $= R35\ 000 \times 12$ $= R420\ 000 \quad \checkmark A$ <p>Annual tax payable before rebates / <i>Jaarlikse belasting betaalbaar voor kortings</i></p> $= R77\ 362 + 31\% \text{ of the taxable income above } R370\ 500$ $= R77\ 362 + 31\% (R420\ 000 - R370\ 500)$ $= R77\ 362 + (31\% \times R49\ 500)$ $= R77\ 362 + R15\ 345$ $= R92\ 707,00 \quad \checkmark CA$ <p>Annual tax payable after rebates/<i>Jaarlikse belasting betaalbaar na kortings</i></p> $= R92\ 707,00 - R17\ 235 - (R364 \times 12)$ $= R92\ 707,00 - R17\ 235 - R4\ 368 \quad \checkmark MA$ $= R71\ 104,00 \quad \checkmark CA$ <p>Monthly tax payable / <i>Maandelikse belasting betaalbaar</i></p> $= R71\ 104,00 \div 12$ $= R5\ 925,33$ <p style="text-align: center;">OR / OF</p> <p>Annual tax payable / <i>Jaarlikse belasting betaalbaar</i></p> $= R6\ 298 \times 12$ $= R75\ 576$ <p style="text-align: center;">$\checkmark CA$</p> <p>Her statement is VALID / <i>Haar bewering is GELDIG.</i> $\checkmark O$</p>	<p>1A annual taxable income</p> <p>1MCA correct tax bracket</p> <p>1CA simplification</p> <p>1RT correct tax rebate</p> <p>1MA subtracting MTC</p> <p>1CA simplification</p> <p>1CA tax amount</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">CA from Question 2.1.4 (a)</div> <p>1O conclusion</p>	<p>F</p> <p>L4</p> <p>D</p> <p>(8)</p>

Q/V	Solution/Oplissing	Explanation/Verduideliking	T&L
2.2.1	<p>% paid / % betaal</p> $= \frac{R4,20}{R14,20} \times 100\% \quad \checkmark \text{MA}$ $= 29,58\% \quad \checkmark \text{A}$ <p>% savings / % besparing</p> $= 100\% - 29,58\%$ $= 70,42\% \quad \checkmark \text{CA}$ <p style="text-align: center;">OR / OF</p> <p>% savings / % besparing</p> $= \frac{R14,20 - R4,20}{R14,20} \times 100\% \quad \checkmark \text{MA}$ $= 70,42\% \quad \checkmark \text{A}$	<p>1MA dividing correct values</p> <p>1A simplification</p> <p>1CA simplification</p> <p style="text-align: center;">OR / OF</p> <p>1MA subtracting correct values</p> <p>1A correct denominator</p> <p>1CA simplification</p> <p style="text-align: right;">(3)</p>	<p>F L2 M</p>

Q/V	Solution/Oplissing	Explanation/Verduideliking	T&L
2.2.2	<p>Cost per trip / <i>Koste per rit</i></p> $\begin{aligned} & \checkmark RT \\ & = \frac{R465,60}{44} \checkmark MA \\ & = R10,58 \checkmark CA \end{aligned}$ <p>Saving per trip / <i>Besparing per rit</i></p> $\begin{aligned} & = R14,20 - R10,58 \checkmark MCA \\ & = R3,62 \checkmark CA \end{aligned}$ <p style="text-align: center;">OR/OF</p> <p>Total cost / <i>Totale koste</i></p> $\begin{aligned} & \checkmark RT \\ & = R14,20 \times 44 \\ & = R624,80 \end{aligned}$ <p>Difference / <i>Verskil</i></p> $\begin{aligned} & = R624,80 - R465,60 \checkmark MCA \\ & = R159,20 \checkmark CA \end{aligned}$ <p>Saving per trip / <i>Besparing per rit</i></p> $\begin{aligned} & = \frac{R159,20}{44} \checkmark MA \\ & = R3,62 \checkmark CA \end{aligned}$	<p>1RT R465,60</p> <p>1MA dividing by 44</p> <p>1CA simplification</p> <p>1MCA subtracting values</p> <p>1CA simplification</p> <p style="text-align: center;">OR/OF</p> <p>1RT R14,20</p> <p>1MCA subtracting values</p> <p>1CA simplification</p> <p>1MA dividing by 44</p> <p>1CA simplification</p> <p style="text-align: right;">(5)</p>	F L2 D
2.2.3	<p>Probability / <i>Waarskynlikheid</i></p> $= 0 / 0\% / \text{impossible} / \text{onmoontlik} / \frac{0}{4} \checkmark \checkmark A$	<p>2A correct probability</p> <div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 10px auto;"> <p>Accept: $= \frac{0}{3}$</p> </div> <p style="text-align: right;">(2)</p>	P L2 E

Q/V	Solution/Oplissing	Explanation/Verduideliking	T&L
* 2.2.4	<p>Package amount left / <i>Pakketbedrag oor</i></p> $= R416,30 - R35,00 \checkmark RT$ $= R381,30 \checkmark A$ <p>Number of weekly trips / <i>Aantal weeklikse ritte</i></p> $= R381,30 \div R127,10 \checkmark MCA$ $= 3 \checkmark CA$ <div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 10px auto;"> <p>OR $R127,10 \times 3$ $= R381,30$</p> </div> <p style="text-align: center;">OR / OF</p> <p>Package amount left / <i>Pakketbedrag oor</i></p> $= R416,30 - R127,10 - R127,10 - R127,10 \checkmark MA$ $= R35 \checkmark A$ <p>Number of weekly trips / <i>Aantal weeklikse ritte</i></p> $= 3 \checkmark CA$	<p>1RT R35</p> <p>1A simplification</p> <p>1MCA dividing values</p> <p>1CA simplification</p> <p style="text-align: center;">OR / OF</p> <p>1RT R127,10</p> <p>1MA subtracting values</p> <p>1A simplification</p> <p>1CA simplification</p>	<p>F L3 M</p> <p style="text-align: right;">(4)</p> <p style="text-align: right;">[32]</p>

QUESTION/VRAAG 3 [30 MARKS/PUNTE]			
Q/V	Solution/Oplissing	Explanation/Verduideliking	T&L
* 3.1.1	Median / <i>Mediaan</i> = 43% 46% 51% 54% 56% 57% ✓MA ✓RT = $\frac{51\% + 54\%}{2}$ ✓MA = 52,5% ✓CA	1MA arranging values 1RT 51% and 54% 1MA concept of median 1CA simplification AO (4)	D L2 M
3.1.2	Probability / <i>Waarskynlikheid</i> ✓A = $\frac{4}{6}$ ✓A = 0,67 ✓CA	1A numerator 1A denominator 1CA simplification (3)	P L2 M
3.1.3(a)	Total number of users / <i>Totale aantal gebruikers</i> = $405\,000\,000 \times \frac{100}{54}$ ✓MA $\div 54\%$ OR $\div 0,54$ = 750 000 000 / 750 million / 750 miljoen ✓CA <p style="text-align: center;">OR / OF</p> Number of male users / <i>Aantal manlike gebruikers</i> = $\frac{46}{54} \times 405\,000\,000$ = 345 000 000 ✓A Total number of users / <i>Totale aantal gebruikers</i> = 405 000 000 + 345 000 000 = 750 000 000 / 750 million / 750 miljoen ✓CA	1MA percentage calculation 1CA simplification <p style="text-align: center;">OR / OF</p> 1A 345 000 000 1CA simplification AO (2)	D L2 M

Q/V	Solution/Oplossing	Explanation/Verduideliking	T&L
3.1.3(b)	<p>Male users / <i>Manlike gebruikers</i></p> $= 750\,000\,000 \times \frac{46}{100} \checkmark\text{MCA}$ $= 345\,000\,000 \checkmark\text{CA}$ <p>Difference / <i>Verskil</i></p> $= 405\,000\,000 - 345\,000\,000$ $= 60\,000\,000 \checkmark\text{CA}$ <p>Her statement is NOT VALID / <i>Haar bewering is NIE GELDIG NIE.</i> $\checkmark\text{O}$</p> <p style="text-align: center;">OR / OF</p> <p>Based on the answer of Question 3.1.3 (a) / <i>Gebaseer op die antwoord in 3.1.3 (a)</i></p> $= 405\,000\,000 - 345\,000\,000 \checkmark\checkmark\text{MCA}$ $= 60\,000\,000 \checkmark\text{CA}$ <p>Her statement is NOT VALID / <i>Haar bewering is NIE GELDIG NIE.</i> $\checkmark\text{O}$</p> <p style="text-align: center;">OR / OF</p> <p>Percentage difference / <i>Presentasie verskil</i></p> $= 54\% - 46\%$ $= 8\% \checkmark\text{CA}$ $= 8\% \times 750 \text{ million / miljoen } \checkmark\text{MCA}$ $= 60\,000\,000 \checkmark\text{CA}$ <p>Her statement is NOT VALID / <i>Haar bewering is NIE GELDIG NIE.</i> $\checkmark\text{O}$</p>	<p>CA from Question 3.1.3 (a)</p> <p>1MCA calculating 46%</p> <p>1CA simplification</p> <p>1CA difference</p> <p>1O conclusion</p> <p style="text-align: center;">OR / OF</p> <p>2MCA difference</p> <p>1CA simplification</p> <p>1O conclusion</p> <p style="text-align: center;">OR / OF</p> <p>1CA percentage difference</p> <p>1MCA calculating 8%</p> <p>1CA simplification</p> <p>1O conclusion</p>	<p>D L4 M</p> <p style="text-align: right;">(4)</p>

Q/V	Solution/Oplissing	Explanation/Verduideliking	T&L
* 3.2.1	Stacked bar graph / <i>Stapelstaafgrafiek</i> ✓✓A OR / OF Compound bar graph / <i>Saamgestelde staafgrafiek</i> ✓✓A	2A correct graph (2)	D L1 E
3.2.2(a)	Limpopo (LP) and North West (NW) / <i>Limpopo (LP) en Noordwes (NW)</i> ✓✓A OR/OF Mpumalanga (MP) and Eastern Cape (EC) / <i>Mpumalanga (MP) en Oos-Kaap (OK)</i> ✓✓A	2A correct pair of provinces OR/OF 2A correct pair of provinces (2)	D L2 M
3.2.2(b)	Number of devices in Limpopo 2022 / <i>Aantal toestelle in Limpopo 2022</i> ✓RT = 11 000 000 – 4 000 000 ✓MA = 7 000 000 OR 7 million / <i>miljoen</i> ✓CA OR / OF Number of devices in Limpopo 2022 / <i>Aantal toestelle in Limpopo 2022</i> ✓RT = 18 500 000 – 4 000 000 – 7 500 000 ✓MA = 7 000 000 OR 7 million / <i>miljoen</i> ✓CA	1RT both correct values 1MA subtracting values 1CA simplification OR / OF 1RT both correct values 1MA subtracting values 1CA simplification AO (3)	D L2 M
3.2.2(c)	Provincial range 2021 / <i>Provinsiale omvang 2021</i> Range = Highest Value – Lowest Value ✓RT ✓RT Range = 16 000 000 – 1 000 000 ✓MA = 15 000 000 OR 15 million / <i>miljoen</i> ✓CA	1RT highest value 1RT lowest value 1MA concept of range 1CA simplification AO (4)	D L3 M

Q/V	Solution/Oplissing	Explanation/Verduideliking	T&L
3.2.3	<p>1A KwaZulu-Natal End point / <i>Eindpunt</i>: 31 500 000 1A KwaZulu-Natal complete stacked bar graph / <i>Voltooi stapel-staafgrafiek</i></p> <p>1A Mpumalanga End Point / <i>Eindpunt</i>: 14 000 000 1A Mpumalanga complete stacked bar graph / <i>Voltooi stapel-staafgrafiek</i></p>	(4)	D L3 D
3.2.4	<p>Probability/Waarskynlikheid</p> $= \frac{2}{9} \checkmark A$	<p>1A numerator 1A denominator</p>	P L2 E
		(2)	
[30]			

QUESTION/VRAAG 4 [28 MARKS/PUNTE]			
Q/V	Solution/Oplissing	Explanation/Verduideliking	T&L
* 4.1.1	$\begin{aligned} & \checkmark A \quad \checkmark A \\ \text{Cost} &= R1\ 000 + (R500 \times n) \\ \text{Koste} &= R1\ 000 + (R500 \times n) \end{aligned}$ <p style="text-align: center;">OR / OF</p> $\begin{aligned} & \checkmark A \quad \checkmark A \\ \text{Cost} &= R1\ 000 + (R500 \times \text{number of days}) \\ \text{Koste} &= R1\ 000 + (R500 \times \text{aantal dae}) \end{aligned}$	1A deposit 1A variable cost <p style="text-align: center;">OR / OF</p> 1A deposit 1A variable cost (2)	F L2 M
4.1.2	$\begin{aligned} & \checkmark A \\ \mathbf{B} &= R1\ 000 + (R350 \times 5) \checkmark MA \\ &= R2\ 750 \checkmark CA \end{aligned}$ <p style="text-align: center;">OR / OF</p> $\begin{aligned} & \checkmark A \\ \mathbf{B} &= R2\ 050 + R350 + R350 \checkmark MA \\ &= R2\ 050 + R700 \\ &= R2\ 750 \checkmark CA \end{aligned}$	1MA multiplying values 1A adding R1 000 1CA simplification <p style="text-align: center;">OR / OF</p> 1A R2 050 1MA adding values 1CA simplification AO (3)	F L2 M

Q/V	Solution/Oplissing	Explanation/Verduideliking	T&L
4.1.3 (a)	<p>Income for both trailers / <i>Inkomste vir beide waentjies</i> \checkmarkMA $= (R1\ 350 \times 2) + (R1\ 500 \times 6)$ $= R2\ 700 + R9\ 000 \checkmark$A $= R11\ 700 \checkmark$CA</p> <p>Total income after refund / <i>Totale inkomste na terugbetaling</i> $= R11\ 700 - R7\ 000 \checkmark$MCA $= R4\ 700 \checkmark$CA</p> <p>Statement NOT VALID / <i>Bewering is NIE GELDIG NIE.</i> \checkmarkO</p> <p style="text-align: center;">OF/OR</p> <p>Income for small trailer / <i>Inkomste vir klein waentjie</i> $= R350 \times 2 \checkmark$MA $= R700 \checkmark$CA</p> <p>Income for large trailer / <i>Inkomste vir groot waentjie</i> $= R500 \times 6$ $= R3\ 000 \checkmark$A</p> <p>Total income after refund / <i>Totale inkomste na terugbetaling</i> $= R700 + R3\ 000 + R1\ 000 \checkmark$MCA $= R4\ 700 \checkmark$CA</p> <p>Statement NOT VALID / <i>Bewering is NIE GELDIG NIE.</i> \checkmarkO</p> <p style="text-align: center;">OF / OR</p> <p>Total cost for all trailers / <i>Totale koste vir alle waentjies</i> \checkmarkMA $= (R1\ 000 \times 8) + R700 + R3\ 000 \checkmark$MA $= R11\ 700 \checkmark$CA</p> <p>Total income after refund / <i>Totale inkomste na terugbetaling</i> $= R11\ 700 - R7\ 000 \checkmark$MCA $= R4\ 700 \checkmark$CA</p> <p>Statement NOT VALID / <i>Bewering is NIE GELDIG NIE.</i> \checkmarkO</p>	<p>1MA multiplying values 1A simplification</p> <p>1CA simplification</p> <p>1MCA subtracting R7 000 1CA simplification</p> <p>1O conclusion</p> <p style="text-align: center;">OF/OR</p> <p>1MA multiplying values 1CA simplification</p> <p>1A simplification</p> <p>1MCA adding R1 000 1CA simplification</p> <p>1O conclusion</p> <p style="text-align: center;">OF / OR</p> <p>1MA multiplying values 1MA adding values 1CA simplification</p> <p>1MCA subtracting R7 000 1CA simplification</p> <p>1O conclusion</p>	<p>F L4 M</p> <p style="text-align: right;">(6)</p>

Q/V	Solution/Oplissing	Explanation/Verduideliking	T&L
* 4.1.3(b)	<p>Labour cost / <i>Arbeidskoste</i></p> <p>= R480 × 2 ✓MA</p> <p>= R960 ✓CA</p> <p>Total cost / <i>Totale koste</i></p> <p>= R960 + R242</p> <p>= R1 202 ✓CA</p> <p>The deposit of R1 000 will not be sufficient / <i>Die deposito van R1 000 sal nie voldoende wees nie.</i> ✓O</p> <p style="text-align: center;">OR / OF</p> <p>Remaining amount / <i>Oorblywende bedrag</i></p> <p style="text-align: center;">✓A</p> <p>= R1 000 – R480 – R480 – R242 ✓MCA</p> <p>= – R202 ✓CA</p> <p>The deposit of R1 000 will not be sufficient / <i>Die deposito van R1 000 sal nie voldoende wees nie.</i> ✓O</p>	<p>1MA multiplying by 2</p> <p>1CA simplification</p> <p>1CA simplification</p> <p>1O conclusion</p> <p style="text-align: center;">OR / OF</p> <p>1A R480</p> <p>1MCA subtracting values</p> <p>1CA simplification</p> <p>1O conclusion</p>	<p>F</p> <p>L4</p> <p>M</p> <p style="text-align: right;">(4)</p>
4.2.1	<p>Value of V / <i>Waarde van V</i></p> <p>= 25 593 ÷ 39 279 ✓MA</p> <p>= 0,651569541 ✓CA</p> <p>= 0,652 ✓R</p> <p style="text-align: center;">OR / OF</p> <p>39 279 Vendors : R25 593 million</p> <p>1 Vendor : ?</p> <p>= $\frac{1}{39\,279} \times 25\,593$ ✓MA</p> <p>= 0,651569541 ✓CA</p> <p>= 0,652 ✓R</p>	<p>1MA dividing values</p> <p>1CA simplification</p> <p>1R correct rounding</p> <p style="text-align: center;">OR / OF</p> <p>1MA dividing values</p> <p>1CA simplification</p> <p>1R correct rounding</p> <p>AO</p>	<p>F</p> <p>L2</p> <p>M</p> <p style="text-align: right;">(3)</p>

Q/V	Solution/Oplissing	Explanation/Verduideliking	T&L
* 4.2.2	Manufacturing / <i>Vervaardiging</i> ✓✓A	2A correct sector (2)	D L1 E
* 4.2.3	Mean in R million / <i>Gemiddeld in R miljoen:</i> ✓MA $= \frac{(221322 + 73893 + 76826 + 25593 + 29418 + 32458 + 22141)}{7}$ $= \frac{481\ 651}{7} \checkmark \text{MA}$ $= 68\ 807,29 \checkmark \text{CA}$	1MA adding values 1MA concept of mean 1CA simplify NPU (3)	D L2 M
4.2.4(a)	$2\ 658\ 15\ 258\ 33\ 825\ 39\ 279\ 46\ 901\ 86\ 610\ 197\ 178$ ✓RT ✓A	1RT all correct values 1A ascending order (2)	D L1 E
4.2.4(b)	Inter-quartile range (IQR) = Q3 – Q1 $2\ 658\ \mathbf{15\ 258}\ 33\ 825\ \mathbf{(39\ 279)}\ 46\ 901\ 86\ 610\ 197\ 178$ Q1 = 15 258 ✓A IQR = 86 610 – 15 258 ✓MCA IQR = 71 352 ✓CA	CA from Question 4.2.4a 1A 15 258 1MCA subtracting values 1CA simplification (3)	D L3 E
		[28]	

Q/V	Solution/Oplissing	Explanation/Verduideliking	T&L
* 5.1.3	<p>Deposit and first month instalment / <i>Deposito en eerste maand se paaiement</i></p> <p>= £1 173,66 ✓RT</p> <p>Amount in rand / <i>Bedrag in rand</i></p> $= \frac{£1\ 173,66}{0,043} \quad \checkmark\text{MA}$ <p>= R27 294,4186</p> <p>= R27 294,42 ✓CA</p> <p>Amount in CHF / <i>Bedrag in CHF</i></p> <div style="display: flex; align-items: center;"> <div style="flex: 1;"> $= \frac{R27\ 294,42}{R20,48} \quad \checkmark\text{MCA}$ <p>= CHF 1 332,74 ✓CA</p> </div> <div style="border: 1px solid black; padding: 5px; margin-left: 10px; text-align: center;"> <p>OR / OF</p> <p>= R27 294,42 × 0,049</p> <p>= CHF 1 337,43</p> </div> </div> <p style="text-align: center;">OR/OF</p> <p>Deposit and first month instalment / <i>Deposito en eerste maand se paaiement</i></p> <p>= £1 173,66 ✓RT</p> <p>Amount in rand / <i>Bedrag in rand</i></p> <p>= £1 173,66 × R23,20 ✓MA</p> <p>= R27 228,91 ✓CA</p> <p>Amount in CHF / <i>Bedrag in CHF</i></p> <div style="display: flex; align-items: center;"> <div style="flex: 1;"> $= \frac{R27\ 228,91}{R20,48} \quad \checkmark\text{MCA}$ <p>= CHF 1 329,54 ✓CA</p> </div> <div style="border: 1px solid black; padding: 5px; margin-left: 10px; text-align: center;"> <p>OR / OF</p> <p>= R27 228,91 × 0,049</p> <p>= CHF 1 334,22</p> </div> </div> <p style="text-align: center;">OR/OF</p>	<p>1RT £1 173,66</p> <p>1MA exchange rate</p> <p>1CA simplification</p> <p>1MCA exchange rate</p> <p>1CA simplification</p> <p style="text-align: center;">OR/OF</p> <p>1RT £1 173,66</p> <p>1MA exchange rate</p> <p>1CA simplification</p> <p>1MCA exchange rate</p> <p>1CA simplification</p> <p style="text-align: center;">OR/OF</p>	<p>F</p> <p>L3</p> <p>F</p>

Q/V	Solution/Oplissing	Explanation/Verduideliking	T&L
* 5.1.3	Deposit and first month instalment / <i>Deposito en eerste maand se paaiement</i> $= \text{£}1\,173,66 \checkmark \text{RT}$ Conversion rate £ to CHF / <i>Omskakelingsfaktor £ tot CHF</i> $\text{£}1 = \text{R}23,20 \checkmark \text{MA}$ $\text{CHF } 1 = \text{R}20,48$ $\text{£}1 = \text{CHF } 1,1328125 \checkmark \text{CA}$ $\text{£}1\,173,66 = 1\,173,66 \times 1,1328125 \checkmark \text{MCA}$ $= \text{CHF } 1\,329,54 \checkmark \text{CA}$	1RT £1 173,66 1MA identifying values 1CA simplification 1MCA exchange rate 1CA simplification (5)	F L3 F
5.2.1	Inflation rate for September / <i>Inflasiemoers vir September</i> $2,1 = \frac{2,2+2,2+2,3+C}{4} \checkmark \text{MA}$ $2,1 = \frac{6,7+C}{4} \checkmark \text{MA}$ $2,1 \times 4 = 6,7 + C$ $C = 8,4\% - 6,7\%$ $= 1,7\% \checkmark \text{CA}$ <p style="text-align: center;">OR / OF</p> Sum of 4 values / <i>Som van al die waardes</i> $= 2,1 \times 4 \checkmark \text{MA}$ $= 8,4\%$ Value of C / <i>Waarde van C</i> $C = 8,4\% - 6,7\% \checkmark \text{MA}$ $= 1,7\% \checkmark \text{CA}$	1MA concept of mean 1MA adding all values 1CA simplification <p style="text-align: center;">OR / OF</p> 1MA multiply by 4 1MA subtracting values 1CA simplification AO (3)	F L3 D

Q/V	Solution/Oplissing	Explanation/Verduideliking	T&L
* 5.2.2	<p>Difference / <i>Verskil</i> ✓A ✓RT $= (£1,45 - £1,42) \times 40 \ell$ ✓MA $= £1,20$ ✓CA</p> <p>Her statement is NOT VALID / <i>Haar bewering is NIE GELDIG NIE.</i> ✓O</p> <p style="text-align: center;">OR / OF</p> <p>✓A ✓RT $= (£1,45 \times 40) - (£1,42 \times 40)$ $= £58 - £56,80$ ✓MA $= £1,20$ ✓CA</p> <p>Her statement is NOT VALID / <i>Haar bewering is NIE GELDIG NIE.</i> ✓O</p>	<p>1A 1,45 1RT (from graph: 1,41–1,43) 1MA multiply difference with capacity 1CA simplification</p> <p>1O conclusion</p> <p style="text-align: center;">OR / OF</p> <p>1A 1,45 1RT (from graph: 1,41–1,43) 1MA subtracting full tank</p> <p>1CA simplification</p> <p>1O conclusion</p> <p style="text-align: right;">(5)</p>	F L4 M
5.2.3	<p>Petrol price for June / <i>Petrolprys vir Junie</i> ✓RT $= £1,45 \times \frac{100}{102,2}$ ✓MA $= \frac{£1,45}{1,022}$ $= £1,42$ ✓CA</p>	<p>CA from Question 5.2.2 1RT £1,45 1MA percentage calculation</p> <p>1CA simplification AO</p> <p style="text-align: right;">(3)</p>	F L3 M
* 5.2.4	<p>It remains the same (constant) for July to August / ✓A <i>Dit bly dieselfde (konstant) vanaf Julie tot Augustus.</i></p> <p>It decreases from August to September / ✓A <i>Dit neem af vanaf Augustus tot September.</i></p> <p>It increases from September to October / ✓A <i>Dit neem toe vanaf September tot Oktober.</i></p>	<p>1A remains the same (CA from Question 5.2.1) 1A decreases</p> <p>1A increases</p> <p style="text-align: right;">(3)</p>	D L4 E
		[30]	
TOTAL / TOTAAL: 150			